



# Company History The history of the Vol. I landy blends with the fuistory The Define line gave the company better incompany better incompany

of the Valtrompia region and its guomaking tradition. Records show ZOLI ancestors building locks back in 1490 and complete firearms not long after that. Giovanni Zoli signed a flint lock pistol around 1850 and the gun is now treasured in the private family collection. Zoli Antonio s.r.l. as it is today was founded immediately after World War II by Antonio Zoli. The founder, moved by that restless entrepreneurship typical of the Brescia region, started a business which would have made his own name and company brand famous throughout the world. The company started making hammer side by side shotguns (models AVI and Santa Barbara), Anson-type over and undershotguns (models Ariete, Empire and Silver Fox) and Holland & Holland-type side by side shotguns (the prestigious model Vulcano in its three versions -Standard, Record and Record ELM). At the end of the 50s ZOLI introduced Anson-type over and under shotguns (model Delfino) and H&H over and under shotguns with Merkel-type locking systems. In the early 60s the ZOLI brand was known and appreciated in every market not only for the quality but also the uniqueness of the guns produced which could be told apart from the most traditional Italian products available at the time. In this period ZOLI was the first company in the world to manufacture replica black powder guns and create a completely new market. That stopped in the late 70s after over 200,000 units had been produced mainly for America. The Zuave, Mississippi, J.P. Murray, Duck, Harper's Ferry and Sharps were the most successful products reminiscent of the American Civil War era.

The Delfino line gave the company better international recognition but it was with the production of shotgun rifle combination guns and express rifles that ZOLI earned the reputation of quality and precision it has been known for ever since. ZOLI was the first Italian company to produce combination guns and rifles which could compete with products made by famous Austrian and German makers and be appreciated by customers all over Europe.

Times were changing rapidly and towards the end of the 70s Giuseppe Zoli decided to modernize the Delfine O.U line. He changed the gun mechanism radically and moved away from the top fastener to start using a more traditional under bolt locking system.

The Delfino was replaced with the Bitmo.

The Ritmo line consisted of smooth bore barrel shotguns, shotgun/rifle combination guns and express double rifles. Thousands of units were built from the late 70s to the beginning of the new millennium. In the early 80s only very few manufacturers in the world were producing as many different products as ZOLI,

From O/O shotguns and hunting side by side shotguns to over and under rifles, side by side rifles and shotgun/rifle combinations.

However Giuseppe Zoli decided to introduce a bolt action rifle and called it the AZ 1900.

ZOLI was the first Italian company to make a bolt action rifle capitalizing on the experience made building thousands of rifled bore guns.

Thousands of AZ1900 bolt action rifles have been produced in both hunting and Varmint versions so far.

In the early 90s ZOLI success was so big and the sales network was expanding so fast that the company decided to design and engineer a Drilling model called MG-92.

# The origin

The Drilling project represented a real challenge for the company which had to compete with well established producers from central and Eastern Europe. But the drilling has been very successful since it was launched and it is still in production today. The ZOLI is the only three-barrel (two smooth barrel and one rifled) drilling ever manufactured in Italy. Towards the end of the past century under Paolo Zoli's new management the company embraced one of the most challenging O/U projects ever. It was called "Revolution 4" and led to the creation of the model Corona (rifle/shotgun combination), Focus (over and under rifle), Columbus (smooth-bore field O/U shotgun) and last, but not least, Kronos (Sporting O/U shotgun).

ZOLI strategically decided to upgrade its offer and provide every gun with the technical features which used to be typical only of high quality firearms produced in small volumes. It is with this new range of products that ZOLI entered the new millennium and the response from old and new customers have proved us right. Production methods have dramatically changed over the last 60 years. Most traditional machines have been replaced with technologically advanced CNC pieces of equipment which give our skilled gunmakers more time and freedom to work as linishers. After 60 years ZOLI is known as one of the very few companies that can offer a wide range of high quality products designed, engineered and manufactured mainly in house.



ZOLI

Flint lock pistol built and

signed before 1850

by Giovanni Zoli.



# The technology

However the designing and engineering stages and the actual production process are now completely computer controlled.

Next to designers with pencils and universal drafting devices, ZOLI now employs computer experts fluent in 3D Cad/Cam systems who can implement "real time" changes to the cosmetic and the mechanics of our guns.

Our parts and mechanisms are no longer checked by manual gauges but by computerized measuring devices which can detect even the smallest deviation for the required tolerance.

24/7 our CNC equipment produces actions, fore-end irons, trigger groups, barrel monoblocs, frames and locking bolts.

Every operation from the easiest to the most complicated one is controlled by our technicians' expert eyes with the support of 3D testing machines to verify conformity.









#### Percussion System

All Z Series guns are fitted with the hand detachable Zoli design trigger lock system. Hand fitted by capable gunsmiths and loaded with powerful coil springs coated with self lubricating material, all critical parts are titanium nitrate treated for maximum corrosion resistance and wear. Hammers, sears and trigger blades are precision CNC machined, specially hardened and ground. Trigger blades are easily adjustable fore and aft.

At Antonio Zoli Company we use only the best engravers and finishers available today. Our custom shop offers the prestigious Ambassador Series with exhibition grade walnut and hand-filed, engraved actions as well as complete bespoke gun capability.

Whether you select the new Z Sport or a custom Super Luxus, all Z Series guns provide the same world class ballistic performance, balance and durability required to be your gun of choice as well as your son's, All Z Series guns are built to the same high standards whether for competition or game. As a matter of fact, Z Series guns require no annual factory service contrary to other prestigious brands offered on the market

G U N

Shotguns and Rifles

hetitions The new Z-GUNS come with the ultimate "Z-Bore" barrels, the result of 60 years of development, experience and know how in our barrel plant. Zoli "Z-Bore" barrels are the envy of gun makers all over the world.

Nothing compares- not even close! Shot patterns are exceptionally dense and homogeneous as well as consistent. Long distances and complex trajectories are no longer a problem. You will often hear shooters using Z Bore barrels say: This is a completely new experience to me"; "Recoil is exceptionally easy"; "Crushing targets is a walk in the park now"; "All of a sudden I was smoking targets with light loads and low recoil". Z- Bore barrels don't need super velocity heavy target loads to get the job done.We deliver better performance with standard and light target loads and far lower recoil.

ZOLI DESIGN

ZOLL

Each Z-Bore barrel is machined from special hot forged alloy steel bars in our proprietary process. To be conpleted each bore goes through very specific steps which are all essential to the outstanding quality of our barrels: from the selection of the best possible materials, to the aging, machining, stress relieving, precision pairing, fitting, soldering and the finishing, Precision machined titanium treated extended choke tubes complete the Z Bore system.

WWW.Z

Antonio Zoli Company is pleased to introduce the new Z Series World Class Guns for competition and game. The Z-GUN Series offers our highest level of materials, engineering and craftsmanship; guns that are second to none and fear no competition thanks to harsh testing, strenuous quality control and technological improvements. Engineered to excel, our Z GUNS offer remarkable ballistic performance, reliability, dynamic handling and the utmost attention paid to every detail. The highly refined Anson boxlock design with low recoil



shoulders is perfectly matched with the trusted Boss locking system. Designed to perform hundreds of thousands of rounds, the new Z GUN design system provides target crushing power and dynamic handling while housed in an elegant Italian design.





# Competition

Z series Guns can be configured for trap, skeet or sporting clays and offer a state of the art boss locking system coupled with our reknown Zoli barrels, select engraving patterns, metal finishes, barrels and stock configurations to fit every style of shooting. experience a lifetime of performance and reliability! all Z Series Guns are available in 12, 20 or 28ga.

## Game

World class guns

Any country, any condition, any weather, any volume, any where on earth- Z Series Game guns give you the confidence to make the journey with only one gun. Our Z Series hunting guns are "by-products" of our World's Class target guns. They feature extreme reliability and durability coupled with dynamic handling and Italian elegance. These are the world's first hunting guns designed with a removable trigger group and crafted with the same components as our World Class Target guns. Action bodies are specially fitted with lighter, game contoured barrels and tapered game ribs yielding light weights particularly suitable for hunting. Our titanium treated detachable trigger mechanism is secured rigidly via

a torque screw and easily removes in seconds with the wrench provided for cleaning. Stocks of high grade Turkish walnut are specially designed with a Prince of Wales grip and a checkered wood butt plate. All stocks are finely checkered and finished with hand rubbed oil. Z Series Game Guns are easy to handle and light to carry but can also be configured in heavier versions for high volume game shooting. Just add sporting barrels and sporting stock to have the weight and balance needed to shoot all day in South America. All models available in 12, 20 and 28ga, with barrels from 66 to 81 cm. Fixed chokes or choke tubes are available.

# Express

Double rifles from Antonio Zoli are built to the highest level of craftmanship offered today on the market. Z Series rifles were specifically designed to use our hand removable trigger lock mechanism offering big game hunters versatility and convienence unavailable until now.

Each trigger group is fitted with powerful titanium treated self lubricating coil springs for extra punch, tuned for crisp let-off.

The monolithic frame of special forged steel is

The monolithic frame of special forged steel is strong enough to exceed over 81,000 psi in testing at the national proof house.

In fact, our new african ph models in .450-400 nitro effortlessly handles the big load in a well balanced, easily carried 3.75 kg rifle.

barrels are made in-house of special barrel steel and tunnel regulated in our factory, a regulation target certifying accuracy is shipped with each double rifle.

The time tested boss locking system is used on all models guaranteeing years of the hardest use.

Stocks are carved from best quality turkish walnut with classic cheek piece, finely cut checkering and finished in hand rubbed oil.

Modular in design, Z Series double rifles are available as multi-barrel sets of many calibers as well as shotgun barrels.















Standard







Ventilat- ed side ribs	Detach. trigger group	Titan. Coated parts	Mono- lithic Frame	Frame Finishing	Boss Locking System	SDAAP percuss. system	Fast detach. Stock	Adjust. Comb	Rubber pad	Spare parts kit	Case
•	•	•	•	Black	•	•	•	-	•	•	•
•	•	•	•	Silver	•	•	•	-	•	•	•
•	•	•	•	Black	•	•	•	•	•	•	•
•	•	•	•	Silver	•	•	•	•	•	•	•
	•	•		Black		•	•	•	•	•	•
-		•	•	Silver			•	•	•	•	•
•	•	•	•	Black	•		•	•	•	•	•
-	•	•	•	Silver	•	•	•	•	•	•	•
	•	•	•	Black	•		•	_			
•	•	•	•	Silver	•		•	-	•	•	•
	•	•	•	Black	•		•	•	•	•	•
•	•	•	•	Silver	•	•	•	•	•	•	•
•		7.		Silver				_	•	•	•
	•	•		Silver				•	•	•	
•	•	•	•	Silver	•	9.1	•	•	•	•	•
•	•	•	•	Sliver	•	7 • 1	•	•	•	•	•
•	•	•	•	Silver	•	•	•	_	•	•	•
•	•	•	•	Silver	• /	•	•	•	•	•	•
•	•	•	•	Silver		/ •	•	0	•	•	•
•	•	•	•	Silver	1 . /	•	•	0	•	•	•
•	•	•	•	Silver	•	•	•	0	•	•	•
•	•	•	•	Silver	/ •	•	•	0	•		
		•		Silver		•	•	0	•	•	
•	•	•	•	Silver	•	•	•	0	•	•	•
		•		Silver				0			
	1000			Silver				0			
		81 18 8		Silver		1000	7.00	0			

All theZ-Competition line models are available with additional set of barrels.


12ga only with extra set in 12ga while 20ga. with extra set of barrel in 20 or 28 gauge.

<b>Z-Competit</b>	ion l	ine spe	cifications		100	See The	
MODEL	Ga.	BBL Length cm. / Inch	Chokes	Average weights	Silver soldered BBL	Tapered Top Rib	11mm Parallel Rib
Z Sport Black	12-20/3"	75-81 / 29,5-32"	I/M-M-L/M-I/C-SK1-Sk2			•	-
Z Sport Silver	12-20/3"	75-81 / 29,5-32"	I/M-M-L/M-I/C-SK1-Sk2		•	•	-
Z Sport Black CR	12-20/3"	75-81 / 29,5-32"	I/M-M-L/M-I/C-SK1-Sk2	Is related	•		-
Z Sport Silver CR	12-20/3"	75-81 / 29,5-32"	I/M-M-L/M-I/C-SK1-Sk2	to type of	•	•	-
Z-Skeet-Us- Black	12	75 / 29,5"	I/M-M-L/M-I/C-SK1-Sk2	bbl. length and type	•		
Z-Skeet-Us- Silver	12	75 / 29,5"	I/M-M-L/M-I/C-SK1-Sk2	of stock	•	•	-
Z-Skeet-Us- Black CR	12	75 / 29,5"	I/M-M-L/M-I/C-SK1-Sk2		•	•	_
Z-Skeet-Us- Silver CR	12	75 / 29,5"	I/M-M-L/M-I/C-SK1-Sk2		•	•	-
Z-Trap Black	12	75 / 29,5"	Fixed 3/4 - 1/1			_	
Z-Trap Silver	12	75 / 29,5"	Fixed 3/4 - 1/1	3 7 7 7	•	_	•
Z-Trap Black CR	12	75 / 29,5"	Fixed 3/4 - 1/1	12GA=7.9		_	•
Z-Trap Silver CR	12	75 / 29,5" Fixed 3/4 - 1/1		LBS TO 8.3	•	-	•
Z-Sport Extra	12-20/3"	75-81 / 29,5-32"	I/M-M-L/M-I/C-SK1-Sk2	LBS,20GA =7.1 LBS	•	•	_
Z-Sport Extra CR	12-20/3"	75-81 / 29,5-32"	I/M-M-L/M-I/C-SK1-Sk2	TO 7.3	•	•	-4
Z-Skeet Extra -Us-	12	75 / 29,5"	I/M-M-L/M-I/C-SK1-Sk2	LBS		• 4	_
Z-Skeet Extra -Us- CR	12	75 / 29,5"	I/M-M-L/M-I/C-SK1-Sk2				_
Z-Extra Trap		75 / 29,5"	Fixed 3/4 - 1/1				
Z-Extra Trap CR	12	75 / 29,5"	Fixed 3/4 - 1/1		•	_	•
Z-Extra Trap CK	12	75729,5	Fixed 3/4 - 1/1		•	_	•
Z-Ambassador AN Sport	12-20/3"	75-81 / 29,5-32"	I/M-M-L/M-I/C-SK1-Sk2		•	•	-
Z-Ambassador AN Skeet	12	75 / 29,5"	I/M-M-L/M-I/C-SK1-Sk2	Cal 12 =	•	•	_
Z-Ambassador AN Trap	12	75 / 29,5"	Fixed 3/4 - 1/1	da kg 3.5	•	-	•
Z-Ambassador EL Sport	12-20/3"	75-81 / 29,5-32"	I/M-M-L/M-I/C-SK1-Sk2	a Kg 3.8 Cal. 20 da	•	•	-
Z-Ambassador EL Skeet	12	75 / 29,5"	I/M-M-L/M-I/C-SK1-Sk2	Kg. 3.2 a	•	•	-
Z-Ambassador EL Trap	12	75 / 29,5"	Fixed 3/4 - 1/1	Kg. 3.6	•	195-jul	•
Z-Ambassador SL Sport	12-20/3"	75-81 / 29,5-32"	I/M-M-L/M-I/C-SK1-Sk2				-
Z-Ambassador SL Skeet	12	75 / 29,5"	I/M-M-L/M-I/C-SK1-Sk2	1			4
Z-Ambassador SL Trap	12	75 / 29,5"	Fixed 3/4 - 1/1	15885	-160	VA - 2	-

- Not available

extra charge





Z-Express line specifications											
Model	Caliber	Barrel length	Ejectors	Top rib ready to accept Zoli mount	Zoli Mount	Detach. Trigger group					
Z-Express	Table 1	55/21.5	•	•	0	•					
Z-Express Combo	30-06,30r Blaser,	55/21.5	•	•	0	•					
Z-Express Ambassador EL	8x57jrs, 9.3x74r,20ga	55/21.5		•	0						
Z-Express Ambassador EL Combo		55/21.5	•	•	0						
Z-SAFARI	The second	65/25.5		•	0						
Z-SAFARI COMBO	.450-400 NITRO	65/25.5	•	Shirt Day	0	100					
Z-SAFARI AMBASSADOR SL Z-SAFARI AMBASSADOR COMBO SL	EXPRESS 12GA.	65/25.5	795000	WO.	0	Se.					
	BEET STATE	65/25.5	•	SE 174	0	510000					
Standard	MARKE SALVEY	Not available	MO 13 (2)	0 E	e Allana						







Tapered Top Rib	Ventil. side ribs	Detach. trigger group	Mono- lithic Frame	Frame Finishing	Engraving	Boss Locking System	SDAAP percuss. system	Stock des.	Wood cat.	Wooden pad	Case
•	•	756/0	78.0	Case hardened	Floral scroll with	NI.• 83		Pow	В	•	•
•	•		•	Case hardened	gold birds		•	Pow	В	•	•
•	•		11.	Old silver	Floral Scroll			Pow	С	•	•
•	•		•	Old silver	with Gold Birds		•	Pow	С	•	•
		•		Old silver	Deep floral	•	•	Pow	С	•	•
•	•	•		Old silver	scroll with gold birds	•	•	Pow	С	•	•
•	•	•		Old silver	Deep floral		-	Pow	D	•	•
•	•		•	Old silver	scroll with gold birds	•		Pow	D	•	•
•		•	•	Old silver	Deep floral	1.	•	Pow	D	•	•
•	•	•	•	Old silver	scroll with gold inlays	2.3	W/O	Pow	D	•	•

All the Z-game Combo models are supplied with a second set of barrels. 12ga frame only with extra set in 12ga while 20ga. with extra set of barrel in 20 or 28 gauge.

Single trigger	Double trigger	Set Trigger	Monolith ic Frame		Hand engraving	Boss Locking system	SDAAP percussi on system	II set of bbls	Cheeck piece	Rubb er Pad	Hard case
•	0	-	•	Black	14	•	•	-	•	•	•
•	0	-	•	Black	/-	•	•	•	•	•	•
•	0	-	•	Gray	•	•	•	-	•	•	•
•	0	-57	•	Gray	•		•	•	•	•	•
0	• 14-5	•	•	Black			•	-	•	•	•
0	-	•	•	Black		•		•	•	•	•
0				Gray				500-500			0.00
0	•	•	•	Gray		619.00	•	mo-de	•	•	•















Focus

The Focus is available with either single trigger or double triggers with set trigger, extractors/ejectors and extra sets of barrels in the following configurations: two rifled-bore barrels, two smooth-bore barrels in 20 Mag or a smooth bore barrel + a rifled bore barrel.

The stock on the "Focus1" features a round cheek piece, a Bavarian cheek piece on the "Focus2" and a round cheek piece with double border on the "Focus3".

The wooden butt plates are always finely checkered. Thanks to their handling characteristics and stability the guns in the Focus line are ideal for driven hunts and hunts in small areas.

When provided with one or two extra sets of barrels they become perfect hunting companions for almost every situation.

Model	Guage	Express bbl length	Ejectors	Top rib fitted for scope mount	Trigger group	Trigger	Set trigger on 1st trigger	Single or double trigger on request	Solid action
Focus 1	the same of the sa	55	No. of Lot,	•	Detachable	2	yes	- 7	
Focus 1M	100	55	0		Detachable	1	no	-	
Focus 2	1000	55			Detachable	2	yes	-	-
Focus 2M	30.06	55		•	Detachable	1	no	-	•
Focus 2 Set2	30rblaser	55	•	•	Detachable	1-2	no - yes	•	•
Focus 2 Set3	8x57jrs	55	-	•	Detachable	1-2	no - yes	•	
Focus 3	9,3x74r	55	-		Detachable	2	yes	_	
Focus 3M		55			Detachable	1	no		
Focus 3 Set2		55		•	Detachable	1-2	no - yes	•	•
Focus 3 Set3		55	•	•	Detachable	1-2	no - yes	•	

Silver	Engraving	Boss-type locking system	PPS percussion system	2nd set of bbl	3rd set of bbl	Cheek piece	Pad	Hand checkering
•	Border		-	-		Oval	Rubber	-
	Border	•	•	-	10000	Oval	Rubber	) -
	Game scene	•		-	-	Bavarian	Wood	· \
•	Game scene	•	-	-	-	Bavarian	Wood	1
•	Game scene	•		-	-	Bavarian	Wood	•
•	Game scene			-		Bavarian	Wood	
•	English scroll				-	Oval D.B.	Rubber	• 1
•	English scroll			-	-	Oval D.B.	Rubber	(0)
•	English scroll		•	•	-	Oval D.B.	Rubber	
•	English scroll	•	•	-	•	Oval D.B.	Rubber	

Extra








# Technical details

# Bolt action rifle



The Alpen and Super Lux versions have the name Zoli in relief on the pistol grip.

This can be done for other models on request.



#### The set trigger

The new set trigger, which is made entirely using CNC machines, comes with the exclusive new [Innovative Safety System] ISS safety system offering the following advantages. 1) It cannot be activated when the safety is on or the gun is unarmed. 2) It deactivates automatically when the safety is applied. 3) It deactivates automatically when the bolt is opened. This special system eliminates all possible risks connected with use of the set trigger, which, together with the standard double safety catch, means that Zoli rifles are truly unbeatable in terms of safe operation.



#### Glass bedding


All New Edition models can be glass bedded between the action and stock.

This can be done at the front or the front and the rear of the receiver to further enhance accuracy.

#### Free floating barrel

For improved accuracy, all Zoli rifles come with a free floating barrel.

The paper test reveals the space between the barrel and the forend wood.



The AZ 1900 can be fitted with a detachable magazine on specific request.



## Muzzle brake optional

Zoli have designed a highly efficient muzzle brake that is capable of cutting recoil by up to 40% for some calibres of rifle.



### Scope attachment

The AZ 1900 comes with either fixed or fast detachable scope mount (see accessory section).



The AZ 1900 was the first standard rifle to be fitted with a safety with the DSS [Double Safety System] device. With the safety on, a special button opens the bolt and the round can be removed from the cartridge chamber in complete safety.

The combination of this device and the set trigger makes Zoli rifles truly unbeatable in terms of safe operation.



















Calibers	Barrel length	Muzzle diameter	Bullet weight						Long	range trajectory	in cm. [1 cm = 0	.3937 "]					
			Grain	Gram	B.C.	Vo	0	50	100	150	200 m	250	300	350	400	450	500
243 Win.	53 - 60	15.5	85 100	5,5 6,4	.326 .388	975 902	-4 -4	+1,18 +2,5	+4,5 +5	+4 +4,5	0	-8 -9	-20 -23	-38 -42	-61 -67	-91 -99	-128 -138
25.06 Rem.	60 - 65	15.5	100 120	6,4 7,7	.369 .410	1043 921	-4 -4	+1 +2	+3,4	+3,2 +4,3	0	-6,6 -8,4	-16,8 -21,4	-30,9 -39,5	-49,5 -63,1	-73,4 -92,6	-102,5 -128,4
■ 6,5X55 SE	53 - 60	15.5	120 140	7,7	.439 .490	853 792	-4 -4	+3	+6 +7	+5 +6	0	-10 -11	-25 -28	-45 -50	-72 -82	-105 -120	-148 -166
6,5X57 M.	53 - 60	15.5	100 120	6,4 7,7	.330 .450	914 822	-4 -4	+2,5 +3	+5 +6	+5 +5	0	-9 -10,5	-23 -27	-33 -49	-70 -78	-105 -114	-148 -159
270 Win.	53 - 60	15.5	130 150	8,4 9,7	.420 .481	914 822	-4 -4	+2 +3	+5 +6,5	+4 +5,5	0	-8 -10	-21 -26	-39 -48	-63 -75	-92 -110	-129 -154
270 Wby Mag.	65	15.5	130 150	8,4 9,7	.420 .468	914 914	-4 -4	+1,5 +2	+4 +5	+3,5 +4,5	0	-7 -8	-18 -20	-34 -38	-54 -60	-80 -88	-111 -122
7X64	53 - 60	15.5	154 177	9,9 11,4	.340 .448	838 762	-4 -4	+3,5 +4,5	+7 +8	+6 +7	0	-11 -12	-28 -32	-52 -58	-85 -93	-127 -136	-178 -189
7mm Rem. Mag.	65	15.5	150 175	9,7 11,3	.439 .519	914 853	-4 -4	+2 +2,5	+5 +7	+1,5 +5	0	-8 -9,5	-28 -32 -20 -24	-37 -43	-59 -68	-86 -99	-120 -137
■ 308 Win.	53 - 60	15.5	150 180	9,7 11,6	.350 .474	822 731	-4 -4	+3,5 +5	+7 +9	+6 +7,5	0	-12 -14	-30 -34	-54 -62	-88 -100	-130 -146	-182 -202
30.06 Spring.	53 - 60	15.5	150 180	9,7 11,6	.350 .474	883 792	-4 -4	+2,5 +4	+6 +7,5	+5 +6	0	-10 -11	-25 -29	-46 -53	-75 -83	-110 -122	-154 -169
■ 300 Win. Mag.	53 - 60	15.5	150 180	9,7 11,6	.350 .474	975 883	-4 -4	+2 +2,5	+4,5 +5	+4	0	-7,5 -9	-20 -22	-37 -41	-59 -65	-87 -95	-123 -191
338 Win. Mag.	53 - 60	15.5	225 250	14,5 16,2	.431 .437	847 792	-4 -4	+3	+6 +7,5	+5 +6	0	-10 -11	-20 -22 -25 -29	-47 -53	-74 -83	-109 -122	-151 -169
9,3X62 M.	53 - 60	15.5	258 293	16,7 18,9	.362 .569	731 670	-4 -4	+5 +6,5	+9,5 +10	+8 +9	0	-15 -16	-38 -40	-70 -72	-113 -113	-167 -165	-223 -227

# Accessories

# Accessories



Choke tube box





Spare part Kit for over and under shotgun in 12 and 20ga, express rifles and rifle/shotgun combination guns



Choke wrench for 12, 20 and 28



Titanium covered extended chokes for 12ga

*+	F	**	***+	***	***-	****	Skeet	CYL
X/F	1/1	L/F	I/M	M	L/M	I/C	S	C/S
1/1+	1/1	3/4	1/2+	1/2	1/2-	1/4	SK	0/0



ZOLI bag



ZOLI hat



Stock wrench



Interchangeable flush chokes for 12-20 and 28ga

* F	I/M	*** M	I/C	****** C	Skeet
1/1	3/4	1/2	1/4	0.0	SK

# Original

Drilling adapter for either fixed or detachable scope mount Code BASMD58

Fixed scope mount for express rifle, rifle/shotgun combination gun, drilling and AZ1900. It comes with fixed base and either 30-mm or 26-mm rings in different heights (low, medium or high) Code BASKK45

Detachable scope mount for express rifle, rifle/shotgun combination gun, drilling and AZ1900. It comes with detachable base and either 30-mm or 26-mm rings in different heights (low, medium, high). Code BASKK44

Fixed scope mount for AZ1900 rifle. It comes with adapter and either 30-mm or 26-mm rings in different heights (low, medium or high) Code BASMC45







Stocks







Olimpic Trap fore-end wood Asta Trap olimpico

Sporting Trap fore-end wood Asta Trap Sporting



Г	Comp	Competition stock specifications - Misure calci da tiro													
Ref.	Model	Ga.	Drop-Comb	Drop-Heel		Lgth at Toe					L/Hand				
rvei.	Modello	Cal.	Nasello	Tallone	Lung.tallone	Lung. punta	Lung.centro	Dev. Tallone	Dev. Punta	Destro	Mancino				
A	UK/US Sporting Fixed drop stock	12	1.57*	2.17"	14.96"	15.27°	14.84"	.12"	24"	Yes	Yes				
	Calcio Sporting Fisso (UK/US)		40	55	380	388	377	3	6	Si	Si				
	UK/US Sporting Adjustable stock	40	1.47to 1.18"	2.17-3.14	14.96"	15.27"	14.84"	.12"	.24*	Yes	Yes				
R	Calcio Sporting Regolabile	12	From 40 to 30	From 55 to 45	380	388	377	3	6	Si	Si				
$\overline{}$	E Contine Fixed days short		4 202	2.05*	44.00	45.079	44.042	400	245	Van	Van				
C	Euro Sporting Fixed drop stock	12	1.38" 35	2.05* 52	14,96 380	15.27° 388	14.84" 377	.12"	.24"	Yes Si	Yes Si				
$\vdash$	Calcio Sporting Fisso	_	33	32	300	300	311	3	6	OI.	3I				
n	Euro Olimpic trap Fixed drop stock	12	1.22"	1.61"	15.16"	15.35"	14.84"	.12"	.24"	Yes	Yes				
L	Calcio trap Olimpico Fisso	12	31	41	385	390	377	3	6	Si	Si				
	Euro Officialistas Adi dan atrak		1.38"	1.89"	15.16"	15.35"	14.84"	.12"	.24"	Yes	Yes				
E	Euro Olimpic trap Adj. drop stock Calcio Trap Olimpico piega regol.	12	35	48	385	390	377	3	6	Si	Si				
$\vdash$	Cacco Trap Offispico piega regor.	_	33	40	303	330	311	٥	0	OI.	31				
L.	Parallel fixed drop Montecarlo	12	1,77	1,89	15"	15.35"	14.84"	.12"	.24*	Yes	No				
Ľ	Calcio Montecarlo	12	45	48	381	390	377	3	6	Si	No				
	Desired Advisor Manager de de de		4 77 4 001	400.454	453	45.059	44.04	400	048	V	Ma				
G	Parallel Adj. drop Montecarlo stock	12	1.77-1.38"	1.89-1.54	15"	15.35*	14.84"	.12"	.24"	Yes	No				
	Montecarlo piega regolabile	_	From 45 to 35	From 48 to 38	381	390	377	3	6	Si	No				
<b>—</b>	UK/US Sporting Fixed drop stock	20	1.57"	2.16"	14.96"	15.27"	14.84"	.16"	.28"	Yes	No				
п	Calcio Sporting Fisso (UK/US)	20	40	55	380	388	377	4	7	Si	No				
	THE STATE OF THE S		4.53.4.405	0.40.4.77	44.000	46.079	44.00	400	001	-					
	UK/US Sporting Adjustable stock	20	1.57-1.18"	2.16-1.77"	14.96"	15.27*	14.84"	.16"	.28"	Yes	No				
	Calcio Sporting Regolabile		From 40 to 30	From 55 to 45	380	388	377	4	1	Si	No				

Dimensional Variance +/- 1/16" (1.5mm) - Total tolerance 1/8" (3mm)

